# 1976 INDEX


Aflatoxins, sound pecan shells prevent. Aug–16
Agricultural advances, edit. Jul–2
Agriculture and life, edit. May–2
Alfalfa:
  Aphid-resistant varieties. Oct–6
  Partial field drying saves fuel. Dec–3
  Prevents water pollution in feedlots. Feb–15
  Smog decreases yield. Nov–3
Almond orchards, control of naval orangeworm. May–16
Aphids transmit soybean mosaic. Feb–14
Apples:
  Automated method for juicing. Aug–16
  Carbon dioxide increases storage life. Feb–12
Arsenic, some essential for healthy rats. Mar–16
Awards:
  To super slurper by *Industrial Research*. Jan–12
  USDA service. Jul–14

Beans, within-row irrigation saves water. Jan–14
Bees:
  Electrical charges affect pollination. Dec–15
  Feeding device for individual bees. Aug–10
  Vibrating hive slows bees. Nov–11
Biological control:
  BT protects stored grain from Indian meal moth. May–6
  Chicken louse controlled by fungus. Mar–12
  Encapsulating NPV. Dec–17
  Fungus kills curly indigo. Jan–10
  Grasses control reed canarygrass. Oct–13
  Growth regulation of pink bollworm. Jun–8
  Insect girdles mesquite. Dec–16
  Larvae of *Nymphula* moth eat Hydrilla. May–14
  *Nosema locustae* attacks grasshoppers. Jan–5
  Wasp suppresses housefly. Apr–8
Birch, extinct species found. May–14
Blue grama grass reclaims abandoned croplands. Jan–6
Botulism prevented by proper canning. Aug–12
Bovine leukemia may be transmissible to man. Mar–15
Bread:
  Enriched with fiber, aids diets. Jun–14
  Modification reduces test baking. Feb–15
Breeding, late-season best for drylot ewes. Mar–14

Carbon dioxide:
  Aids stored apples, Feb–12
  Kept in greenhouse via new cooling system. Mar–16
Cattle:
  Experimental vaccine for BVD. Sept–14
  Index for selecting sires. Sept–5
  Mycoplasmas may cause abortion. Sept–3
  Ticks stopped by ear tag. Nov–15
  Weak calf syndrome, more than one cause. Mar–3
Cattle, beef:
  Best ration depends on cattle type. Nov–14
  Forage–fed weaner calves are heavier. Mar–5
  Genetic study of cattle types. Dec–6
  Housed-cattle waste used as cattle food. Aug–5
  Nutritious feed from spine-singed cactus. Mar–14
  Roughage from cottonseed hulls. Dec–7
  Separating genetic from environmental differences. Apr–11
Cattle, dairy:
  Computer, a management tool. Feb–6
  Mechanical exerciser improves health. Aug–14
Celiac disease:
  Rice, instead of wheat, bread. Jun–6
  Victims may someday eat wheat. Apr–12
Cherries:
  Codling moth control. Sept–11
  Separated from stem by chemical. Oct–16
Clover, screening procedure for leaf spot. May–15
Cold resistance mechanism of plants studied. Jan–8
Composted sewage sludge good for soil. Feb–7
Corn, frost injury linked to bacteria. Dec–8
Cotton:
  Cattle feed from cottonseed hulls. Dec–7
  Lines resist tobacco budworm. Oct–15
  Pink bollworms' growth regulated. Jun–8
  Prototype textile processing system. Sept–8

Disease research:
  Barley stripe mosaic virus. Oct–15
  Bluetongue virus, new serotype, Oct–16
  Bovine leukemia, transmissible to man? Mar–15
  BVD experimental vaccine. Sept–14
  Celiac disease and protein in wheat. Apr–12
  Chemical reaction in rumen detoxifies. Nov–11
  Clyindrocladium black rot of peanuts. Nov–15
  Core-rot of carrots. Apr–16
  Curly top-resistant tomatoes. Jul–15
  Diagnostic test and vaccine for ornithosis. Nov–12
  Downy mildew-resistant sunflower. Jun–15
  EIA control by phenolic compounds. Sept–11
  Foot-and-mouth disease vaccine. Aug–7
  Green mold and citrus fruit. May–3
  Maize weevil. Feb–5
  Porcine parvovirus infection. Aug–15
  Shipping sterile disease plant material. Sept–16
  Sleepy grass and cattle. Jan–16
  Soybean mosaic transmitted by aphids. Feb–14
  Weak calf syndrome, more than one cause. Mar–3
  Yellow sorghum stunt, new disease. Jul–16

Ecosystem monitored on micro-scale. Jan–16
Editorials:
  Agricultural advances. Jul–2
  Agriculture and life. May–2
  Canning tomatoes safely. Aug–2
  Forage for livestock benefits people. Jan–2
  Genetic vulnerability. Oct–2
  Grass, its many gifts. Mar–2
  Insects—friends and pests. Jun–2
  Minimum tillage. Feb–2
  Plants essential to quality environment. Apr–2
  Signs of autumn. Sept–2
  Thanksgiving dinner is nutritious. Nov–2
  Wind, a source of energy. Dec–2
Engineering:
  Automated method for juicing apples. Aug–16
  Cattle care by computer. Feb–6
  "Closed" cooling system keeps $CO_2$ in greenhouse. Mar–16
  Cooling equipment for bell peppers. Sept–12
  Device measures subsurface water movement. Dec–13
  Dust-control problems in handling grain. Jul–10
  Grain spreaders. Feb–3
  Improved mechanical fruit tree planter. Oct–3
  Mechanical exerciser for dairy cattle. Aug–14
  Pears benefit from shake-pruning. Jun–14
  Pecan shelling improved by steaming. May–12
  Prototype textile-processing system. Sept–8
  Sewage sludge improves soil. Feb–7

# 1976 INDEX


Aflatoxins, sound pecan shells prevent. Aug–16
Agricultural advances, edit. Jul–2
Agriculture and life, edit. May–2
Alfalfa:
  Aphid-resistant varieties. Oct–6
  Partial field drying saves fuel. Dec–3
  Prevents water pollution in feedlots. Feb–15
  Smog decreases yield. Nov–3
Almond orchards, control of naval orangeworm. May–16
Aphids transmit soybean mosaic. Feb–14
Apples:
  Automated method for juicing. Aug–16
  Carbon dioxide increases storage life. Feb–12
Arsenic, some essential for healthy rats. Mar–16
Awards:
  To super slurper by *Industrial Research*. Jan–12
  USDA service. Jul–14

Beans, within-row irrigation saves water. Jan–14
Bees:
  Electrical charges affect pollination. Dec–15
  Feeding device for individual bees. Aug–10
  Vibrating hive slows bees. Nov–11
Biological control:
  BT protects stored grain from Indian meal moth. May–6
  Chicken louse controlled by fungus. Mar–12
  Encapsulating NPV. Dec–17
  Fungus kills curly indigo. Jan–10
  Grasses control reed canarygrass. Oct–13
  Growth regulation of pink bollworm. Jun–8
  Insect girdles mesquite. Dec–16
  Larvae of *Nymphula* moth eat Hydrilla. May–14
  *Nosema locustae* attacks grasshoppers. Jan–5
  Wasp suppresses housefly. Apr–8
Birch, extinct species found. May–14
Blue grama grass reclaims abandoned croplands. Jan–6
Botulism prevented by proper canning. Aug–12
Bovine leukemia may be transmissible to man. Mar–15
Bread:
  Enriched with fiber, aids diets. Jun–14
  Modification reduces test baking. Feb–15
Breeding, late-season best for drylot ewes. Mar–14

Carbon dioxide:
  Aids stored apples, Feb–12
  Kept in greenhouse via new cooling system. Mar–16
Cattle:
  Experimental vaccine for BVD. Sept–14
  Index for selecting sires. Sept–5
  Mycoplasmas may cause abortion. Sept–3
  Ticks stopped by ear tag. Nov–15
  Weak calf syndrome, more than one cause. Mar–3
Cattle, beef:
  Best ration depends on cattle type. Nov–14
  Forage–fed weaner calves are heavier. Mar–5
  Genetic study of cattle types. Dec–6
  Housed-cattle waste used as cattle food. Aug–5
  Nutritious feed from spine-singed cactus. Mar–14
  Roughage from cottonseed hulls. Dec–7
  Separating genetic from environmental differences. Apr–11
Cattle, dairy:
  Computer, a management tool. Feb–6
  Mechanical exerciser improves health. Aug–14
Celiac disease:
  Rice, instead of wheat, bread. Jun–6
  Victims may someday eat wheat. Apr–12
Cherries:
  Codling moth control. Sept–11
  Separated from stem by chemical. Oct–16
Clover, screening procedure for leaf spot. May–15
Cold resistance mechanism of plants studied. Jan–8
Composted sewage sludge good for soil. Feb–7
Corn, frost injury linked to bacteria. Dec–8
Cotton:
  Cattle feed from cottonseed hulls. Dec–7
  Lines resist tobacco budworm. Oct–15
  Pink bollworms' growth regulated. Jun–8
  Prototype textile processing system. Sept–8

Disease research:
  Barley stripe mosaic virus. Oct–15
  Bluetongue virus, new serotype, Oct–16
  Bovine leukemia, transmissible to man? Mar–15
  BVD experimental vaccine. Sept–14
  Celiac disease and protein in wheat. Apr–12
  Chemical reaction in rumen detoxifies. Nov–11
  Clyindrocladium black rot of peanuts. Nov–15
  Core-rot of carrots. Apr–16
  Curly top-resistant tomatoes. Jul–15
  Diagnostic test and vaccine for ornithosis. Nov–12
  Downy mildew-resistant sunflower. Jun–15
  EIA control by phenolic compounds. Sept–11
  Foot-and-mouth disease vaccine. Aug–7
  Green mold and citrus fruit. May–3
  Maize weevil. Feb–5
  Porcine parvovirus infection. Aug–15
  Shipping sterile disease plant material. Sept–16
  Sleepy grass and cattle. Jan–16
  Soybean mosaic transmitted by aphids. Feb–14
  Weak calf syndrome, more than one cause. Mar–3
  Yellow sorghum stunt, new disease. Jul–16

Ecosystem monitored on micro-scale. Jan–16
Editorials:
  Agricultural advances. Jul–2
  Agriculture and life. May–2
  Canning tomatoes safely. Aug–2
  Forage for livestock benefits people. Jan–2
  Genetic vulnerability. Oct–2
  Grass, its many gifts. Mar–2
  Insects—friends and pests. Jun–2
  Minimum tillage. Feb–2
  Plants essential to quality environment. Apr–2
  Signs of autumn. Sept–2
  Thanksgiving dinner is nutritious. Nov–2
  Wind, a source of energy. Dec–2
Engineering:
  Automated method for juicing apples. Aug–16
  Cattle care by computer. Feb–6
  "Closed" cooling system keeps $CO_2$ in greenhouse. Mar–16
  Cooling equipment for bell peppers. Sept–12
  Device measures subsurface water movement. Dec–13
  Dust-control problems in handling grain. Jul–10
  Grain spreaders. Feb–3
  Improved mechanical fruit tree planter. Oct–3
  Mechanical exerciser for dairy cattle. Aug–14
  Pears benefit from shake-pruning. Jun–14
  Pecan shelling improved by steaming. May–12
  Prototype textile-processing system. Sept–8
  Sewage sludge improves soil. Feb–7

Solar drying permits double-cropping. Jun–15

Environment:
*Betual uber*, "extinct" birch found. May–14
Composted sewage sludge improves soil. Feb–7
Quality depends on plants, edit. Apr–2
Starch-encapsulated chemicals. Nov–6
What happens to herbicides? Aug–6
Wind, a source of energy, edit. Dec–2

Erosion:
Controlled by no-tillage farming. Jun–5
Streambanks stabilized with willows. Jun–11

Flour, extended milling gives more flour. Mar–10

Forage:
Blue grama promising for abandoned croplands. Jan–6
Feed from spine-singed cactus. Mar–14
Food for livestock and people, edit. Jan–2
Sampling technique for species. Jun–3
Sleepy grass can control cattle. Jan–16

Fungicides stop dropped citrus fruit decay. May–3

Genetics, animal:
Assessing beef cattle genetic resources, edit. Dec–6
Measuring genetic variation of beef cattle. Apr–11

Genetics, plant:
Germ plasm and genetic vulnerability. Oct–2
Improved protein in durum wheats. Apr–6
Twin-seeded sorghum hybrids yield less. Nov–16
Wheat varieties resist Hessian fly and cereal leaf beetle. Jul–3

Grape varieties resist Pierce's disease. Nov–7
Grapefruit, sheepnose study. Apr–14
Grass, countless benefits, edit. Mar–2

Halogeton, oxalate, and sheep. Apr–14

Herbicides:
Cold resistance may be substitute. Jan–8
How does perfluidone work? Feb–13
Metabolism study. Aug–6

Housefly suppressed by wasp. Apr–8
Hymenovin, poison common to 3 rangeland weeds. Oct–12

Insecticides:
Alternatives for protecting stored rice. Jun–16
Experimental insecticides protect stored foods. Mar–15
Methoprene effective against horn fly. Jan–11
Pyrethrins mothproof wool. Jan–16

Insects:
Bees controlled by vibrating hive. Nov–11
Beet armyworm, mathematical model. Oct–11
Blue alfalfa aphid-resistant alfalfa varieties. Oct–6
Boll weevil, simplified sexing. Sept–6
Cereal leaf beetle-resistant wheat. Jul–3
Chicken louse debilitated by fungus. Mar–12
Codling moth control in cherries. Sept–11
Friends and pests, edit. Jun–2
Grasshoppers eat *Nosema locustae* and die. Jan–5
Hessian fly-resistant wheat varieties. Jul–3
Horn fly controlled by methoprene. Jan–11
Horn fly susceptible to TH–6040. Jul–11
Housefly controlled by wasp. Apr–8
Indian meal moth losses to BT. May–6
Lice diets determined. Jul–15
Maize weevil, Arkansas strain. Feb–5
Mosquito control by growth regulators. Dec–14
Navel orangeworm control program. May–16
Pink bollworm growth regulated. Jun–8
Stable fly susceptible to Dimilin. Jul–11
Stored grain pests' growth inhibited. May–15
Stored grain pests suppressed by tricalcium phosphate. Jul–16
Ticks stopped by ear tag on cattle. Nov–15
Tobacco budworm-resistant cotton lines. Oct–15

Irrigation:
System improved by controlling reed canarygrass. Oct–13
Within-row technique saves water. Jan–14

Marketing:
Carbon dioxide aids stored apples. Feb–12
Chemical separates cherry from stem. Oct–16
Experimental insecticides better protection than malathion for stored food. Mar–15
Grain spreaders. Feb–3
Heat keeps raisins soft. Sept–16
Sheepnosed grapefruit cause studied. Apr–14

Meat:
Lamb steaks from nonprimal cuts. Jun–7

Mechanical harvesting:
Pear trees pruned with shakers benefit. Jun–14

Mothproofer, pyrethrins protect wool. Jan–16
Mycoherbicide controls northern jointvetch. Dec–13

Mycorrhizae:
Cut need for fertilizer? Dec–16

Nutrition, human:
Arsenic may be essential. Mar–16
Celiac victims can eat rice bread. Jun–6
Excess protein causes osteoporosis. Nov–5
Fiber need met by fiber-enriched bread. Jun–14
Grain diet requires added vitamin C. Mar–13
Thanksgiving dinner is nutritious, edit. Nov–2
Whey-enriched macaroni has more protein. Apr–3
Zinc available from legumes. Jan–3

Peanuts, quick method for hybridizing. Aug–15
Pears benefit from shake-pruning. Jun–14
Peas, quick check for root rot. Jan–15

Pecans:
New process aids shelling. May–12
Sound shell bars fungus. Aug–16

Pesticides:
Encapsulated by starch. Nov–6
New and less hazardous. Jun–12

Photosynthesis:
Soybean yield increased. Feb–14
Used to produce hydrogen from water. Jul–7

Plant stress predictors. Apr–13

Pollution:
Alfalfa safeguards ground water. Feb–15
Recovering copper from effluents. Oct–14
Smog reduces alfalfa yield. Nov–3

Poultry:
Chicken louse control with fungus. Mar–12
Diagnostic test and vaccine for ornithosis. Nov–12

Public Law 480 research:
Grain diet requires added vitamin C. Mar–13
Hydrilla controlled by larvae. May–14
Soybeans as substitute for petroleum. Jul–6
Sunflower breeding program. Oct–10

Rice:
Curly indigo control by fungus. Jan–10
Large loss of stored rice to insects. May–13

Root rot—peas aided by rapid screening technique. Jan–15

Safety:
Canning tomatoes, edit. Aug–2

Seeds:
Life of weed seeds in soil. Apr–15

Sheep:
Grazing on halogeton. Apr–14
Late-season breeding of drylot ewes. Mar–14
Three forage species have same toxic constituent. Oct–12

UNITED STATES GOVERNMENT PRINTING OFFICE
PUBLIC DOCUMENTS DEPARTMENT, WASHINGTON, D.C. 20402

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
UNITED STATES DEPARTMENT OF AGRICULTURE
AGR 101

ARES SERIA300SGISSDUE003R 1
SERIALD PROCESSING DEPT
XEROX UNIV MICROFILMS
300 N ZEEB RD
ANN ARBOR MI 48106

**Soil:**
- Deep plowing benefits sodic soils. Jul–12
- Erosion prevented by no-tillage farming. Jun–5
- Moisture and plant physiology. Oct–7
- Multiset irrigation system buries pipe. Nov–13
- Reclaiming saline soils. Apr–16
- Shallow drainage system. Sept–15
- Streambanks stabilized with willows. Jun–11
- Tillage controls Clyindrocladium black rot. Nov–15

**Solar drying:**
- Supplements low-temperature grain drying. Dec–10
- Winter wheat. Jun–15

**Sorghum:**
- Narrow-row spacing increases yield. Apr–7
- New disease causes dwarfing. Jul–16
- Source of sugar. Aug–3
- Twin-seeded hybrids yield less. Nov–16

**Soybeans:**
- Pods measured by hand caliper. Oct–5.
- Soybean mosiac transmitted by aphids. Feb–14
- Substitute for petroleum. Jul–6
- Techniques to increase yield. Feb–14
- Twenty production systems studied. Mar–6
- Yogurt made from soy milk. Aug–5

**Stored grain:**
- Alternatives for malathion. Jun–16
- Dust-control problems. Jul–10
- Experimental insecticides better than malathion. Mar–15
- Insect control by tricalcium phosphate. Jul–16
- Large loss of rice to insects. May–13
- Pests' growth inhibited by chemical. May–15
- Protected from Indian meal moth. May–6

**Sugar:**
- Blocks extend processing season. Feb–16
- Sorghum, a source of raw sugar. Aug–3

**Sunflower:**
- Broad-base breeding program. Oct–10
- Strain resists downy mildew. Jun–15

**Super slurper wins *Industrial Research* award.** Jan–12

**Swine reproductive failure and porcine parvovirus.** Aug–15

**Techniques, laboratory:**
- Boll weevil sexing simplified. Sept–6
- Feeding device for individual bees. Aug–10
- Hydrogen and nitrogen produced by photosynthesis. Jul–7

***That We May Eat*, 1975 Yearbook of Agriculture.** Jan–15

***The Face of Rural America*, 1976 Yearbook of Agriculture.** Sept–15

**Tillage, less saves money and environment, edit.** Feb–2

**Utilization:**
- Automated method for juicing apples. Aug–16
- *Brassica carinata*, source of protein. Apr–7
- Bread test-baking reduced. Feb–15
- Calcium compounds recover copper from effluents. Oct–14
- Cattle waste—cattle food. Aug–5
- Eggs as convenience breakfast dish. Apr–10
- Fiber-enriched bread aids diet. Jun–14
- Lamb steaks from nonprimal cuts. Jun–7
- Less hazardous pesticides. Jun–12
- Photosynthesis produces hydrogen and fixes nitrogen. Jul–7
- Proper canning prevents botulism. Aug–12
- Soybean substitute for petroleum. Jul–6
- Sugar blocks extend processing season. Feb–16
- Sugar production from sorghum. Aug–3
- Super slurper uses increase. Jan–12
- Wheat milling process yields more flour. Mar–10
- Whey-enriched macaroni has more protein. Apr–3
- Yogurt from soy milk. Aug–5

**Vegetables:**
- Bell peppers, cooling equipment. Sept–12
- *Brassica carinata*, source of protein. Apr–7
- Carrots, a base for juice. Dec–17
- New carrot disease. Apr–16
- Tomato varieties resist curly top. Jul–15
- Tomatoes, canning and botulism. Aug–12

**Weak calf syndrome, more than one cause.** Mar–3

**Weeds:**
- Hydrilla controlled by larvae. May–14
- Life of seeds in soil. Apr–15
- UHF destroys Johnsongrass seeds. Dec–17
- Yellow nutsedge—perfluidone controls. Feb–13

**Wheat:**
- Genetic adaptation adds protein. Apr–6
- Protein content can be increased. Feb–5
- Varieties resist Hessian fly and cereal leaf beetle. Jul–3

**Whey added to macaroni gives more protein.** Apr–3

**Yearbook of Agriculture:**
- 1975, *That We May Eat*. Jan–15
- 1976, *The Face of Rural America*. Sept–15

**Yogurt from soy milk tastes good.** Aug–5

**Zinc from legumes.** Jan–3

When reporting research involving pesticides, this magazine does not imply that pesticide uses discussed have been registered. Registration is necessary before recommendation. Pesticides can be injurious to humans, domestic animals, desirable plants, and fish or other wildlife—if not handled or applied properly. Use all pesticides selectively and carefully.

PROTECT
Use Pesticides Safely
FOLLOW THE LABEL



U.S. GOVERNMENT PRINTING OFFICE · 1976—O-222-351